ASSY QTY

ASSY QTY

B/O


Part #


-1


Description

EXTRACTOR


	revisions							
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED			
1		RELEASED FOR PRODUCTION.	6/5/2015	RJC	JAG			







B/O INFORMATION OR SPECIFICATIONS



DWG NO.

PG.

2

NOTE: REF. EUROCOPTER T/N: 360A93-3230-00.

TOOL, EXTRACTOR, ALTERNATOR

RBE360A93-3230-00 MAT'L DRAWN BY: UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

.XXX ± .005 FRACTIONS ± 1/8

.XX + .01 ANGLES ± .5°

X ± .1 ANGLES ± .5°

SPEC

1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
2. DIMENSIONAL LIMITS APPLY AFTER PLATING SCALE

1:1

USED ON MODEL EUROCOPTER 3/19/2015 SHEET 1 OF 6


CLOUGH

REV


			-3	1	SLEEVE	4140 Q&T/4142 Q&T		3	П
	Χ		-5	1	BOLT ASSEMBLY			4	М
	1		-7		BOLT	STEEL	M12 X 1.5mm X 50mm (MCMASTER-CARR #91180A752) MODIFIED	5	Г
	1		-9		NUT	4140 Q&T/4142 Q&T		6	1
	1	B/O	-11		WASHER	STEEL	#10 X .140 (MCMASTER-CARR #91117A201)	4	٦.
	1	B/O	-13		DOWEL PIN	STEEL	Ø4mm X 8mm (MCMASTER-CARR #91595A150)	4	٦'
		B/O	-15	1	O-RING	VITON	Ø3mm X 36mm I.D. {MCMASTER-CARR #9263K315}	1	Ľ
	ASSY -5								8


4140 Q&T/4142 Q&T (MAKES 2 PIECES)


Material




		REVISIONS REVISIONS			
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED














SLEEVE

		REVISIONS REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED	









PEEN OVER, -11 MUST SPIN FREELY

TOOL, EXTRACTOR, ALTERNATOR

DWG NO.

RBE360A93-3230-00-5

MAT'L DRAWN BY: UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
.XXX ± .005 FRACTIONS ± 1/8
.XX ± .01 ANGLES ± .5°
.X ± .1 ANGLES ± .5°
.X ± .1 SPECIFICATIONS TRACTIONS TRACTIONS

1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
2. DIMENSIONAL LIMITS APPLY AFTER PLATING SCALE

1:1

USED ON MODEL EUROCOPTER

CLOUGH


BOLT ASSEMBLY


(-5)


3/19/2015

SHEET 4 OF 6

		REVISIONS			
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED









TOOL, EXTRACTOR, ALTERNATOR

SCALE

RBE360A93-3230-00-7

DRAWN BY:

MAT'L STEEL

YELLOW ZINC


1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
2. DIMENSIONAL LIMITS APPLY AFTER PLATING


USED ON MODEL EUROCOPTER 3/19/2015 SHEET 5 OF 6


CLOUGH

BOLT

REVISIONS							
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED		









TOOL, EXTRACTOR, ALTERNATOR

RBE360A93-3230-00-9

CLOUGH

MAT'L 4140 Q&T/4142 Q&T DRAWN BY: UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
.XXX ± .005 FRACTIONS ± 1/8
.XX ± .01 ANGLES ±.5°
.X ± .1 SPEC

YELLOW ZINC

1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
2. DIMENSIONAL LIMITS APPLY AFTER PLATING

USED ON MODEL EUROCOPTER

SCALE

3/19/2015

SHEET 6 OF 6

NUT